


15/06/2018

In Out, In Out, And Shake It All About

A Moving Story of Data






320 contributors

Any kind of archive

Contribute as and when they wish

Collection level and multi-level

Use our cataloguing tool or export from systems




- » Migrate descriptions from old system --- normalise
- >>> Workflow for new system --- repeatable processing
- » Rigorous treatment of data --- consistency, structure
- » Sustainable model
 - > Entities: Archives, Repositories, Names
- >>> Take data in automated way & at scale
- >>> Deal effectively with complex hierarchy & revisions


- » Check for:
 - Valid EAD
 - > Hub requirements
 - Content
- » Revisions --- version control issues
 - More than one version of a description
 - Which is the master copy?
 - Can change title, reference, filename

Solution needs to work for wide variety of descriptions

Knowledge Integration: CIIM

Archives Hub Workflow









'Hub Required' Conditions

- >>> What are we looking to achieve?
- >>> What are the required data conditions?
- >>> What is the rationale for them?
- » How can they be implemented consistently?


'Hub Required' Conditions


- » References must be unique
- » Repository name must not include the archon code
- >> Level values from a controlled list
- >>> Language must be provided at the top level
- » Access conditions must be provided at the top level
- >> Normalised dates must use the correct ISO format
- >>> URLs must use http://
- » [Title below 500 characters]































Wynn Hall Mss WYNN bangor WYNN.xml 6 Errors Error Validation 08-Jan-2018 09:04 | View Audits

Actions •

Status: Error Validation

6 Errors

XML Validation Error, Location: /ead[1]/archdesc[1]/dsc[1]/c[3]/c[2]/did[1]/unitid[1]
For the persistent or current unitid, element unitid attribute identifier value MUST be unique. [Reference(s): WYNN/736] [identifier: WYNN/736]


XML Validation Error, Location: /ead[1]/archdesc[1]/dsc[1]/c[3]/c[2]/c[1]/did[1]/unitid[1]

For the persistent or current unitid, element unitid attribute identifier value MUST be unique. [Reference(s): WYNN/736] [identifier: WYNN/736]

XML Validation Error, Location: /ead[1]/archdesc[1]/dsc[1]/c[3]/c[5]/did[1]/unitid[1]
For the persistent or current unitid, element unitid attribute identifier value MUST be unique. [Reference(s): WYNN/808] [identifier: WYNN/808]


EAC

童



Anthony Burgess Foundation Archives







repair-reponame.xsl







(File) Last Updated





Disable

Disable






















Contributor

"Local", specific to Contributor

Group

Common to multiple Contributors

Global

Common to all Contributors

The pipeline model

- Same model applies to all data formats:
 - EAD (archive descriptions)



36,510 ARCHIVE

EAG (repository descriptions)



335 REPOSITORY

> EAC (people and organisations)



141,291 AGENT

- >>> Descriptions often created to work within one system
- » Designed for one interface
- >>> Constraints of what is achievable within one system
- Data may not be suitable for an aggregator, for interoperability, for different systems and environments
- » ...but it is hard to modify systems or change cataloguing practices
- » Need a compromise

The Enemies of Blend (1)

- » Missing references
- » Duplicate unique references
- » Missing mandatory fields



- >>> Titles that are just a name...or they are a page long
- » Cutting and pasting resulting in Jean HÃfÆ'Æâ€™
- >>> Dates in all manner of formats: [(c ca c. ? / 1890-1831
- Data that isn't structured




The Enemies of Blend (2)

- » Customised fields
- >> Printouts first
- >>> Levels values in welsh




- >>> Unesco subject terms that aren't from the unesco thesaurus
- » Place as name, name as subject, subject as genre, subject as place...
- Shost levels physical versus intellectual

» An archivist typically thinks about describing an archive in a way that a human user can understand, accessed from their reading room or website; we think about it as structured data for humans and machines, within a global context





Blend: Archives Hub





- » OAI-PMH
 - Archives Portal Europe
 - Cendari
- » Elastic Search API
 - Archives Wales
 - Micro sites
 - > European Holocaust Research Institute



Archives Portal Europe





APE Dashboard

Enter the URL of your repository: https://oai.archiveshub.jisc.ac.uk/ArchivesHub



Enter the URL of your repository: Select a set:

Select a metadata prefix:

Select harvesting method:

Select an interval for your harvesting:

Harvest only on weekends?

Set last harvesting date (if existing) dd/MM/YYYY:

Select a user profile:


Activation status:



https://oai.archiveshub.jisc.ac.uk/ArchivesHub	
Institution:GB-103 (University College London Archives)	
ead 💠	
Harvest by verb ListIdentifiers/GetRecord (fail-safe)	
1 months 💠	
No 😊	
Standard ≎	
Enabled ≎	




Micro Sites





Welsh Archives Portal








Jisc









Jane Stevenson Archives Hub Service Manager

jane.stevenson@jisc.ac.uk

https://archiveshub.jisc.ac.uk

archiveshub@jisc.ac.uk





